

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|--|-----------------|----------------------|---------------------|-------------------|--|
| 10/720,735 | 11/24/2003 | Yu-Lin Yen | 251310-1100 | 2750 | |
| 24504 | 7590 06/01/2005 | | EXAM | EXAMINER | |
| THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP | | | MITCHELL | MITCHELL, JAMES M | |
| 100 GALLERIA PARKWAY, NW STE 1750 ATLANTA, GA 30339-5948 | | ART UNIT | PAPER NUMBER | | |
| | | 2813 | | | |

DATE MAILED: 06/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|--|--|--|--|--|--|--|
| Office Action Comments | 10/720,735 | YEN ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | James M. Mitchell | 2813 | | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply if NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONED | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1)⊠ Responsive to communication(s) filed on <u>23 November 2003</u> . | | | | | | |
| | _ | | | | | |
| 3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is | | | | | | |
| closed in accordance with the practice under E | x parte Quayle, 1935 C.D. 11, 45 | 33 O.G. 213. | | | | |
| Disposition of Claims | | | | | | |
| 4)⊠ Claim(s) <u>1-26</u> is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | |
| 6) Claim(s) is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | |
| 8) Claim(s) <u>1-26</u> are subject to restriction and/or election requirement. | | | | | | |
| Application Papers | | | | | | |
| 9)☐ The specification is objected to by the Examiner. | | | | | | |
| 10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | | |
| 11)☐ The oath or declaration is objected to by the Ex | aminer. Note the attached Office | Action or form PTO-152. | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No | | | | | | |
| 3. Copies of the certified copies of the priority documents have been received in this National Stage | | | | | | |
| application from the International Bureau (PCT Rule 17.2(a)). | | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| Attachmont/c) | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) | 4) Interview Summary | (PTO.413) | | | | |
| 2) D Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Da | ite | | | | |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | 5) | atent Application (PTO-152) | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |

Application/Control Number: 10/720,735

Art Unit: 2813

DETAILED ACTION

This office action is in response to the application filed November 23, 2003.

Restrictions

This application contains claims directed to the following patentably distinct species of the claimed invention: the species of removing photoresist from SIO₂.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, there are no claims generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the

Application/Control Number: 10/720,735

Art Unit: 2813

case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

A telephone call was made to Daniel McClure on May 10 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M. Mitchell whose telephone number is (571) 272-1931. The examiner can normally be reached on M-F 8:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead Jr. can be reached on (571) 272-1702. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CARL WHITEHEAD, JR.
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800